

Notice of Allowability

Application No.

10/797,263

Examiner

Chandrika Prasad

Applicant(s)

KOWALSKI, ROBERT S.

Art Unit

2839

-- The MAILING DATE of this communication appears on the cover sheet with the correspondence address--

All claims being allowable, PROSECUTION ON THE MERITS IS (OR REMAINS) CLOSED in this application. If not included herewith (or previously mailed), a Notice of Allowance (PTOL-85) or other appropriate communication will be mailed in due course. **THIS NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT RIGHTS.** This application is subject to withdrawal from issue at the initiative of the Office or upon petition by the applicant. See 37 CFR 1.313 and MPEP 1308.

1. ☒ This communication is responsive to 12/07/06.
2. ☒ The allowed claim(s) is/are 1-4 and 15-20.
3. ☐ Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).
- a) ☐ All b) ☐ Some* c) ☐ None of the:
1. ☐ Certified copies of the priority documents have been received.
2. ☐ Certified copies of the priority documents have been received in Application No. _____.
3. ☐ Copies of the certified copies of the priority documents have been received in this national stage application from the International Bureau (PCT Rule 17.2(a)).


* Certified copies not received: _____.

Applicant has THREE MONTHS FROM THE "MAILING DATE" of this communication to file a reply complying with the requirements noted below. Failure to timely comply will result in ABANDONMENT of this application.
THIS THREE-MONTH PERIOD IS NOT EXTENDABLE.

4. ☐ A SUBSTITUTE OATH OR DECLARATION must be submitted. Note the attached EXAMINER'S AMENDMENT or NOTICE OF INFORMAL PATENT APPLICATION (PTO-152) which gives reason(s) why the oath or declaration is deficient.
5. ☐ CORRECTED DRAWINGS (as "replacement sheets") must be submitted.
- (a) ☐ including changes required by the Notice of Draftsperson's Patent Drawing Review (PTO-948) attached
- 1) ☐ hereto or 2) ☐ to Paper No./Mail Date _____.
- (b) ☐ including changes required by the attached Examiner's Amendment / Comment or in the Office action of Paper No./Mail Date _____.
- Identifying indicia such as the application number (see 37 CFR 1.84(c)) should be written on the drawings in the front (not the back) of each sheet. Replacement sheet(s) should be labeled as such in the header according to 37 CFR 1.121(d).
6. ☐ DEPOSIT OF and/or INFORMATION about the deposit of BIOLOGICAL MATERIAL must be submitted. Note the attached Examiner's comment regarding REQUIREMENT FOR THE DEPOSIT OF BIOLOGICAL MATERIAL.

Attachment(s)

1. ☐ Notice of References Cited (PTO-892)
2. ☐ Notice of Draftsperson's Patent Drawing Review (PTO-948)
3. ☐ Information Disclosure Statements (PTO/SB/08),
Paper No./Mail Date _____
4. ☐ Examiner's Comment Regarding Requirement for Deposit
of Biological Material
5. ☐ Notice of Informal Patent Application
6. ☐ Interview Summary (PTO-413),
Paper No./Mail Date _____
7. ☒ Examiner's Amendment/Comment
8. ☒ Examiner's Statement of Reasons for Allowance
9. ☐ Other _____


CHANDRIKA PRASAD
PRIMARY EXAMINER

DETAILED ACTION

EXAMINER'S AMENDMENT

1. An examiner's amendment to the record appears below. Should the changes and/or additions be unacceptable to applicant, an amendment may be filed as provided by 37 CFR 1.312. To ensure consideration of such an amendment, it MUST be submitted no later than the payment of the issue fee.

Authorization for this examiner's amendment was given in a telephone interview with Brian Shaw on 01/03/07.

The application has been amended as follows:

- **Claims 5-14 have been cancelled.**
- The title has been changed to -- A MODULE WITH INTERCONNECTED MALE POWER INPUT RECEPTACLE, FEMALE POWER OUTPUT RECEPTACLE AND FEMALE LOAD RECEPTACLE --

Allowable Subject Matter

2. Claims 1-4 and 15-20 are allowed.
3. The following is an examiner's statement of reasons for allowance:

Prior art does not show a module having a sealed interior and the exterior having a male power input receptacle with blades recessed relative to the housing, a female power output receptacle and a female load receptacle which are all interconnected and are configured to be substantially the same (i.e. matable with each other) as required by the only independent claim 1.

Art Unit: 2839


Any comments considered necessary by applicant must be submitted no later than the payment of the issue fee and, to avoid processing delays, should preferably accompany the issue fee.. Such submissions should be clearly labeled "Comments on Statement of Reasons for Allowance."

Contact Information

4. Any correspondence to this action may be mailed to:

**Commissioner for Patents
Post Office Box 1450
Alexandria, VA 22313-1450**

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Chandrika Prasad whose telephone number is (571) 272-2099. If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor can be reached at (571) 272-2800 ext 39. The fax number is 571-273-8300.


Chandrika Prasad
Primary examiner
January 3, 2007